



Diaphragm Spray Pumps

<i>Polypropylene Pumps.....</i>	<i>79 - 84</i>
<i>Low Pressure Pumps.....</i>	<i>85 - 98</i>
<i>Medium Pressure Pumps.....</i>	<i>99 - 106</i>
<i>High Pressure Pumps.....</i>	<i>107 - 120</i>



**ANNOVI
REVERBERI**
The Power of Experience



Large capacity oil tank. Remote oil tank installation available.

Wide range of inlet and outlet fittings.



Pump head in nylon for aggressive chemicals.



N°2 high quality needle bearings under the connecting rods to reduce friction.


Inlet and outlet manifolds are modular and position can be modified.


Version with Cardan / Cardan through shaft or female cylindrical shaft for direct mounting of hydraulic motors.

Double lip oil seals.

Drain plug to empty liquid from the circuit before winter storage.

Pump feet with Cataforesis protective treatment- Robust and fixed to the pump body.





Large valves in AISI 304 for best hydraulic efficiency and better resistance to chemical agents.



Long-life **BlueFlex™** diaphragms for resistance to spraying chemicals and aggressive liquid fertilizers.



Reinforced plastic air chamber with **BlueFlex™** diaphragm.

Kit coupling flange and coupling for joining two pumps.
Flanges for connection to hydraulic motors and multipliers.

AR45LFP

NEW



S e p r i e s
P O L Y P R O P Y L E N E

L I Q U I D F E R T I L I Z E R P E S T I C I D E

Low Pressure



140° F - Max Water Temp
1 1/2" - Suction
1" - Outlet

AR45LFP - 550 RPM - SEMI-HYDRAULIC THREE-DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR45LFP-C	11.4	43.3	290	20	2.1	24	\$1,220.00
AR45LFP-SP	11.4	43.3	290	20	2.1	24	\$1,185.00
AR45LFP-GR-GCI*	11.4	43.3	290	20	2.1	40	\$2,055.00

*Model comes standard with Viton diaphragms.







C Version
1 3/8" 6B Splined Shaft



SP Version
Straight 3/4" Keyed Shaft



GR-GCI Version
Pump with Viton® Diaphragms and
Gearbox AR31185 with 3/4" Hollow
Shaft and GS25S Viton® Control Unit



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43239	BlueFlex™	\$139.29	AR42816	Valves	\$383.17	AR43081	O-Rings	\$77.15	AR64516	Oil	\$10.60
AR43237	Desmopan	\$122.17									
AR43236	NBR	\$96.15									
AR43238	Viton	\$670.67									

AR80LFP

NEW



S e p r o p i e s
P O L Y P R O P Y L E N E

L I Q U I D F E R T I L I Z E R P E S T I C I D E

Low Pressure



BlueFlex™
Diaphragms

140° F - Max Water Temp
1-1/2" - Suction
1" - Outlet

AR80LFP - 550 RPM - SEMI-HYDRAULIC THREE-DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR80LFP-C	20.2	76.4	290	20	3.4	30.8	\$1,390.00
AR80LFP-SP	20.2	76.4	290	20	3.4	30.8	\$1,375.00
AR80LFP-AP-SP/C	20.2	76.4	290	20	3.4	30.8	\$1,465.00
AR80LFP-AP-C/C	20.2	76.4	290	20	3.4	30.8	\$1,495.00
AR80LFP-GR-GCI*	20.2	76.4	290	20	3.4	40.0	\$2,645.00

*Model comes standard with Viton diaphragms.



C Version
1 3/8" 6B Splined Shaft



SP Version
Straight 3/4" Keyed Shaft







AP SP/C Version
Straight 3/4" keyed x
1 3/8 6B Splined Thru
Shaft



AP C/C Version
1 3/8" 6B Splined Thru
Shaft



GR-GCI Version
Pump with Viton® Diaphragms
and Gearbox AR31185 with
3/4" Hollow Shaft and GS25S
Viton® Control Unit



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43247	BlueFlex	\$133.20	AR43138	Valves	\$504.18	AR43128	O-Rings	\$128.04	AR64516	Oil	\$10.60
AR43245	Desmopan	\$135.54									
AR43244	NBR	\$127.33									
AR43246	Viton	\$813.72									

AR120LFP • AR140LFP


NEW



S e p r i e s
P O L Y P R O P Y L E N E

L I Q U I D **F** E R T I L I Z E R **P** E S T I C I D E

Low Pressure



BlueFlex™
Diaphragms

140° F - Max Water Temp
1 1/2" - Suction
1" - Outlet

AR120LFP / AR140LFP - 550 RPM - SEMI-HYDRAULIC THREE-DIAPHRAGM PUMP





MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR120LFP-C	30.8	116.7	220	15	4.5	34.4	\$1,850.00
AR120LFP-SP	30.8	116.7	220	15	4.5	34.4	\$1,805.00
AR120LFP-AP-SP/C	30.8	116.7	220	15	4.5	34.4	\$1,960.00
AR140LFP-C	35.1	132.9	220	15	5.2	34.4	\$1,900.00
AR140LFP-SP	35.1	132.9	220	15	5.2	34.4	\$1,855.00
AR140LFP-AP-SP/C	35.1	132.9	220	15	5.2	34.4	\$2,010.00



C Version
1 3/8" 6 Splined Shaft



SP Version
Straight 3/4" Keyed Shaft



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43255	BlueFlex	\$139.29	AR43138	Valves	\$504.18	AR43139	O-Rings	\$178.69	AR64516	Oil	\$10.60
AR43253	Desmopan	\$138.36									
AR43252	NBR	\$140.23									
AR43254	Viton	\$1,069.32									

AR160LFP • AR185LFP

NEW



S e p r o p i e n e s
P O L Y P R O P Y L E N E

L I Q U I D F E R T I L I Z E R P E S T I C I D E

Low Pressure



BlueFlex™
Diaphragms





140° F - Max Water Temp
2" - Suction
1-1/4" - Outlet

AR160LFP / AR185LFP - 550 RPM - SEMI-HYDRAULIC THREE-DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR160LFP-C/C	43.9	166.2	220	15	6.8	55.1	\$2,975.00
AR185LFP-C/C	48.1	182.1	220	15	7.4	55.1	\$3,055.00



C/C Version
1 3/8" 6 Splined Thru Shaft



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43259	BlueFlex	\$196.04	AR43169	Valves	\$677.71	AR43170	O-Rings	\$187.83	AR64516	Oil	\$10.60
AR43257	Desmopan	\$133.90									
AR43256	NBR	\$136.24									
AR43258	Viton	\$1,472.66									

AR330LFP • AR380LFP

NEW



S e r i e s
P O L Y P R O P Y L E N E

L I Q U I D F E R T I L I Z E R P E S T I C I D E

Low Pressure



BlueFlex™
Diaphragms





140° F - Max Water Temp
60 mm - Suction
1-1/4" - Outlet

AR330LFP • AR380LFP - 550 RPM - SEMI-HYDRAULIC FOUR-DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR330LFP-C/C	84.0	317.9	220	15	11.6	128	\$4,750.00
AR380LFP-C/C	97.1	367.7	220	15	13.8	128	\$4,860.00



C/C Version
1 3/8" 6 Splined Thru Shaft



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43274	BlueFlex	\$133.50	AR43182	Valves	\$921.59	AR43183	O-Rings	\$230.75	AR64516	Oil	\$10.60
AR43273	Desmopan	\$416.00									
AR43272	NBR	\$329.00									

AR410LFP • AR460LFP

NEW



S e r i e s
P O L Y P R O P Y L E N E

L I Q U I D F E R T I L I Z E R P E S T I C I D E

Low Pressure




BlueFlex™
Diaphragms





140° F - Max Water Temp
3" - Suction
1-1/2" - Outlet

AR410LFP • AR460LFP - 550 RPM - SEMI-HYDRAULIC FOUR-DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR410LFP-APC/C	106.0	401.2	220	15	14.9	166	\$7,085.00
AR460LFP-APC/C	119.0	450.3	220	15	17.4	166	\$7,260.00



C/C Version
1 3/8" 6 Splined Thru Shaft



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43277	BlueFlex	\$200.14	AR43187	Valves	\$1,739.99	AR43188	O-Rings	\$77.62	AR64516	Oil	\$10.60
AR43276	Desmopan	\$602.67									
AR43275	NBR	\$471.35									

AR45BP



S e r i e s
POLYPROPYLENE

Low Pressure



BlueFlex™
Diaphragms

140° F - Max Water Temp
1-1/2" - Suction
1" - Outlet

AR45BP - 550 RPM - SEMI-HYDRAULIC THREE-DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR45BP-C	11.4	43.3	290	20	2.1	24.3	\$1,220.00
AR45BP-SP	11.4	43.3	290	20	2.1	24.3	\$1,185.00
AR45BP-GR3/4-GCI	11.4	43.3	290	20	2.1	40.0	\$2,055.00

GCI - Pump with a mounted control unit.







C Version
1 3/8" 6 Splined Shaft



SP Version
Straight 3/4" Keyed Shaft



GR3/4-GCI Version
Gear Reduction AR31185 with
3/4" Hollow Shaft and GS25
Control Unit



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43239	BlueFlex	\$139.29	AR42524	Valves	\$262.41	AR42525	O-Rings	\$22.28	AR64516	Oil	\$10.60
AR43237	Desmopan	\$122.17									
AR43236	NBR	\$96.15									
AR43238	Viton	\$670.67									

AR70BP



Plastic Coated
ALUMINUM

Low Pressure



BlueFlex™
Diaphragms

140° F - Max Water Temp
1-1/4" - Suction
1" - Outlet

AR70BP - 550 RPM - SEMI-HYDRAULIC TWO-DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR70BP-C	19.6	74.1	290	20	3.4	26	\$1,255.00
AR70BP-SP	19.6	74.1	290	20	3.4	26	\$1,200.00
AR70BP-GR3/4	19.6	74.1	290	20	3.4	31	\$1,995.00







C Version
1 3/8" 6 Splined Shaft



SP Version
Use spline or straight shaft kits
on page 96



GR3/4 Version
Gearbox AR1671 for
Gas Engine w/3/4" shaft



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43243	BlueFlex	\$92.86	AR2364	Valves	\$190.88	AR2365	O-Rings	\$27.67	AR64516	Oil	\$10.60
AR43241	Desmopan	\$83.48									
AR43240	NBR	\$85.12									

AR80BP



S e r i e s
POLYPROPYLENE

Low Pressure



BlueFlex™
Diaphragms

140° F - Max Water Temp
1 1/2" - Suction
1" - Outlet

AR80BP - 550 RPM - SEMI-HYDRAULIC THREE-DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR80BP-C	20.2	76.4	290	20	3.4	30.9	\$1,390.00
AR80BP-SP	20.2	76.4	290	20	3.4	30.9	\$1,375.00
AR80BP-GR3/4-GCI	20.2	76.4	290	20	3.4	40.0	\$2,350.00

GCI - Pump with a mounted control unit.



C Version
1 3/8" 6 Splined Shaft







SP Version
Straight 3/4" Keyed Shaft



GR3/4-GCI Version
Assembled with GS355 Control
Unit and AR31185 Gearbox for
5-6 HP Gas Engines

Remote mount GS355
control (available
separately)

Direct Mount GS355 use
code AR3249006



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43247	BlueFlex	\$133.20	AR42805	Valves	\$340.96	AR42857	O-Rings	\$27.67	AR64516	Oil	\$10.60
AR43245	Desmopan	\$135.54									
AR43244	NBR	\$127.33									
AR43246	Viton	\$813.72									

AR115BP•AR135BP•AR115BP/1000



Plastic Coated
ALUMINUM

Low Pressure



BlueFlex™
Diaphragms

140° F - Max Water Temp
1 1/2" - Suction
1" - Outlet

AR115BP • AR135BP - 550 RPM - SEMI-HYDRAULIC THREE-DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR115BP-C	28.5	107.9	290	20	5.5	34.2	\$1,865.00
AR115BP-SP	28.5	107.9	290	20	5.5	34.2	\$1,800.00
AR115BP-GR3/4	28.5	107.9	290	20	5.5	44.0	\$2,435.00
AR135BP-C	33.8	128.0	290	20	5.5	34.2	\$1,895.00
AR135BP-SP	33.8	128.0	290	20	5.5	34.2	\$1,830.00
AR135BP-GR3/4	33.8	128.0	290	20	5.5	44.0	\$2,465.00

AR115BP - 1000 RPM - SEMI-HYDRAULIC THREE-DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR115BP-C1000	24.8	94.0	220	15	4.2	34.2	\$1,920.00







C Version
1 3/8" 6 Splined Shaft



SP Version
Use spline or straight
shaft kits on page 96



GR3/4 Version
Assembled with Gearbox
AR1671 for 5-6 HP Gas
Engines - Fits SP Models



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43251	BlueFlex	\$139.29	AR2370	Valves	\$282.57	AR2026	O-Rings	\$33.53	AR64516	Oil	\$10.60
AR43249	Desmopan	\$108.81									
AR43248	NBR	\$110.45									

AR120BP • AR140BP



S e r i e s
N Y L O N

Low Pressure



BlueFlex™
Diaphragms

140° F - Max Water Temp
1 1/2" - Suction
1" - Outlet

AR120BP • AR140BP - 550 RPM - SEMI-HYDRAULIC THREE-DIAPHRAGM PUMP





MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR120BP-C	30.8	116.7	220	15	5.2	34.4	\$1,850.00
AR120BP-SP	30.8	116.7	220	15	5.2	34.4	\$1,805.00
AR140BP-C	35.1	132.9	220	15	5.2	34.4	\$1,900.00
AR140BP-SP	35.1	132.9	220	15	5.2	34.4	\$1,855.00



C Version
1 3/8" 6 Splined Shaft



SP Version
Straight 3/4" Keyed Shaft



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43255	BlueFlex	\$139.29	AR42805	Valves	\$340.96	AR42830	O-Rings	\$50.89	AR64516	Oil	\$10.60
AR43253	Desmopan	\$138.36									
AR43252	NBR	\$140.23									
AR43254	Viton	\$1,069.32									

AR160BP • AR185BP



Plastic Coated
ALUMINUM

Low Pressure



BlueFlex™
Diaphragms




140° F - Max Water Temp
2" - Suction
1-1/4" - Outlet

AR160BP • AR185BP - 550 RPM - SEMI-HYDRAULIC FOUR-DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR160BP-C/C	43.9	166.2	290	20	8.4	60.6	\$2,975.00
AR185BP-C/C	48.1	182.1	290	20	9.3	60.6	\$3,055.00



C/C Version
1 3/8" 6 Splined Thru Shaft



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43259	BlueFlex	\$196.04	AR2374	Valves	\$374.26	AR42510	O-Rings	\$57.22	AR64516	Oil	\$10.60
AR43257	Desmopan	\$133.90									
AR43256	NBR	\$136.24									
AR43258	Viton	\$1,472.66									

AR215BP • AR250BP • AR280BP



Plastic Coated
ALUMINUM

Low Pressure



BlueFlex™
Diaphragms




140° F - Max Water Temp
2" - Suction (AR215 - AR250)
2 1/2" - Suction (AR280)
1-1/4" - Outlet

AR215BP • AR250BP • AR280BP - 550 RPM - SEMI-HYDRAULIC SIX-DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR215BP-C/C	57.9	219.1	290	20	9.9	85	\$3,795.00
AR250BP-C/C	67.2	254.4	290	20	11.4	85	\$3,905.00
AR280BP-C/C	73.4	277.8	290	20	12.9	85	\$4,195.00



C/C Version
1 3/8" 6 Splined Thru Shaft



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43263	BlueFlex	\$294.06	AR2114	Valves	\$558.11	AR42513	O-Rings	\$70.35	AR64516	Oil	\$10.60
AR43261	Desmopan	\$183.61									
AR43260	NBR	\$187.13									

AR330BP • AR380BP



Plastic Coated
ALUMINUM

Low Pressure



BlueFlex™
Diaphragms





140° F - Max Water Temp
2 1/2" - Suction
1-1/4" - Outlet

AR330BP • AR380BP - 550 RPM - SEMI-HYDRAULIC FOUR-DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR330BP-C/C	84.2	317.9	290	20	17.4	132	\$4,750.00
AR380BP-C/C	97.1	367.7	290	20	17.4	132	\$4,860.00



C/C Version
1 3/8" 6 Splined Thru Shaft



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43274	BlueFlex	\$133.50	AR42980	Valves	\$684.74	AR42591	O-Rings	\$70.35	AR64516	Oil	\$10.60
AR43273	Desmopan	\$416.00									
AR43272	NBR	\$329.00									

AR410BP • AR460BP



S e r i e s
N Y L O N

Low Pressure



BlueFlex™
Diaphragms





140° F - Max Water Temp
3" - Suction
1-1/2" - Outlet

AR410BP • AR460BP - 550 RPM - SEMI-HYDRAULIC SIX-DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR410BP-C/C	106	401.2	290	20	22.4	173.1	\$7,085.00
AR460BP-C/C	119	450.3	290	20	22.4	173.1	\$7,260.00



C/C Version
1 3/8" 6 Splined Thru Shaft



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43277	BlueFlex	\$200.14	AR42290	Valves	\$743.37	AR42291	O-Rings	\$243.88	AR64516	Oil	\$10.60
AR43276	Desmopan	\$602.67									
AR43275	NBR	\$471.35									

AR320BP • AR370BP Twin Top



Plastic Coated
ALUMINUM

Low Pressure



BlueFlex™
Diaphragms





140° F - Max Water Temp
2 x 2" - Suction
2 x 1-1/4" - Outlet

AR320BP • AR370BP - 550 RPM - SEMI-HYDRAULIC EIGHT (FOUR PLUS FOUR) DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR320BPTWINTOP-C/C	84.9	321.2	290	20	16.8	127.9	\$5,875.00
AR370BPTWINTOP-C/C	98.2	371.5	290	20	17.3	127.9	\$5,980.00



C/C Version
1 3/8" 6 Splined Thru Shaft



DIAPHRAGM KITS (2)			VALVE KITS (2)			O-RING KITS (2)			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43267	BlueFlex	\$356.44	AR2374	Valves	\$374.26	AR42510	O-Rings	\$57.22	AR64516	Oil	\$10.60
AR43265	Desmopan	\$252.79									
AR43264	NBR	\$257.48									
AR43266	Viton	\$2,926.56									

AR500BP • AR560BP Twin Top



Plastic Coated
ALUMINUM

Low Pressure



BlueFlex™
Diaphragms





140° F - Max Water Temp
2 x 2" - Suction (AR500)
2 x 2 1/2" - Suction (AR560)
2 x 1-1/4" - Outlet

AR500BP • AR560BP - 550 RPM - SEMI-HYDRAULIC TWELVE (SIX PLUS SIX) DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR500BPTWINTOP-C/C	129.3	489.4	290	20	23.6	165.3	\$7,670.00
AR560BPTWINTOP-C/C	143.5	543.2	290	20	26.6	165.3	\$7,770.00



C/C Version
1 3/8" 6 Splined Thru Shaft



DIAPHRAGM KITS (2)			VALVE KITS (2)			O-RING KITS (2)			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43271	BlueFlex	\$534.66	AR2114	Valves	\$558.11	AR42513	O-Rings	\$70.35	AR64516	Oil	\$10.60
AR43269	Desmopan	\$352.22									
AR43268	NBR	\$359.49									
AR43270	Viton	\$4,216.31									

Application Kits *Low Pressure*

NEW




Shaft Kit AR43392: 1 3/8" Male Spline Shaft

\$41.41



1" $\frac{3}{8}$ " universal shaft




For Models: AR70, AR115 & AR135

Pulley Kit AR31058

\$225.12



Pulley 2A 11" Diameter
For AR45, AR80




Pulley Kit AR1514

\$281.40



Pulley 2A 11" Diameter



For Models: AR70, AR115 & AR135

Hydraulic Motor Flange Kit AR55371

\$613.55




For models AR410 - 460
Fits SAE 2-bolt A Flange Motors with
1" Shaft

Gearbox Kit 3/4": for 5-6 HP Gas Engine



Gearbox for four stroke engines
with SAE J609a flange



AR1671 For Models: AR70, AR115 & AR135

\$595.00

AR31185 For Models: AR45 & AR80

\$650.00

Hydraulic Motor Flange Kit AR1570

\$665.98



For models AR160 - 370
Fits SAE 2-bolt A Flange Motors with
1" Shaft

Hydraulic Motor Flange Kit AR43397

\$441.00



For models AR70, AR115, AR135
(SP Models Only)
Fits SAE 2-bolt A Flange Motors with
1" Shaft

Shaft Kit AR43389: 1" Male Solid Keyed Shaft

\$248.74



For models AR70, AR115 & AR135
Kit includes a male PTO shaft adapter,
mounting racket and necessary
hardware.

The part numbers refer to the application kit only, excluding the pump. The applications should be used only with the proper protective equipment for the safety of the operator.

Control Units - Low Pressure



ECM

Remote control unit with working pressure regulating valve, complete with glycerin filled pressure gauge with colored dial.

- AR70BP - AR160BP
- 140° F Max Temperature
- 1" - Inlet
- 1" - Return
- 1/2" - Outlet



MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	WEIGHT LBS	LIST PRICE
ECM	42.3	160	290	20	2.6-3.5	\$465.00

GS 25 S

Remote control unit with working pressure regulating valve, by-pass control and glycerin filled pressure gauge with colored dial.

- AR45BP
- 140° F Max Temperature
- 1" - Inlet
- 3/4" - Return
- 1/2" - Outlet



MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	WEIGHT LBS	LIST PRICE
GS25S	13.2	50	290	20	2.2	\$235.00

UCM

Remote control unit with working pressure regulating valve, opening/closing control lever, anti-drip and glycerin filled pressure gauge with colored dial.

- AR70BP - AR160BP
- 140° F Max Temperature
- 1" - Inlet
- 1" - Return
- 1/2" - Outlet



MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	WEIGHT LBS	LIST PRICE
UCM	42.3	160	290	20	0.1 - 6	\$790.00

GS 35 S / GS 35 V (VITON)

Remote control unit with working pressure regulating valve, by-pass control and glycerin filled pressure gauge with colored dial.

- AR45BP, AR80BP
- 140° F Max Temperature
- 1" - Inlet
- 1" - Return
- 1/2" - Outlet



MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	WEIGHT LBS	LIST PRICE
GS35S	26.4	100	290	20	3.7	\$330.00
GS35V	26.5	100	290	20	3.7	\$443.52
MODEL	DESCRIPTION					LIST PRICE
AR3249006	Direct mount Buna					\$257.11

IDROMINUS

Remote control unit with working pressure regulating valve, opening/closing control lever, anti drip, valves with pressure discharge regulation and glycerin filled pressure gauge with colored dial.

- AR70BP - AR160BP
- 140° F Max Temperature
- 1" - Inlet
- 1" - Return
- 1/2" - Outlet



MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	WEIGHT LBS	LIST PRICE
IDROMINUS	42.3	160	290	20	6.6-7.1	\$1,140.00

GS 20 S

Remote control unit with working pressure regulating valve and glycerin filled pressure gauge with colored dial.

- AR70BP
- 140° F Max Temperature
- 3/4" - Inlet
- 3/4" - Return
- 1/2" - Outlet



MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	WEIGHT LBS	LIST PRICE
GS20S	13.2	50	290	20	3.5	\$345.00

Control Units - Low Pressure



RM 20 S

Remote control unit with working pressure regulating valve, by-pass control and glycerin filled pressure gauge with colored dial.

- AR70BP - AR115BP
- 140° F Max Temperature
- 1" - Inlet
- 1" - Return
- 1/2" - Outlet




MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	WEIGHT LBS	LIST PRICE
RM20S	21.1	80	290	20	3.5	\$420.00

VDR 20 S

Remote control unit with working pressure regulating valve, opening/closing control lever and glycerin filled pressure gauge with colored dial.

- AR70BP - AR135BP
- 140° F Max Temperature
- 1" - Inlet
- 1" - Return
- 1/2" - Outlet



MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	WEIGHT LBS	LIST PRICE
VDR20S	34.3	130	290	20	4.9	\$670.00

VSP

Automatic spring-loaded maximum pressure safety valves. These valves are made of a plastic (nylon and fiberglass) which is particularly resistant to liquid chemical products and abrasive liquid chemical products. If they are used as safety valves, they guarantee a constant pressure whenever it is not necessary to continuously regulate the working pressure. Any excess liquid bypasses the valve and allows it to maintain a constant line pressure.



- VSP200
 - AR70BP - 185BP
- VSP400
 - AR215BP - AR380BP
 - AR320BPTwinTop - AR370BPTwinTop
- VSP600
 - AR410BP - AR460BP
 - AR500BPTwinTop - AR560BPTwinTop

- 140° F Max Temperature
- VSP200 - 1" GAS
- VSP400 - 1-1/2" GAS
- VSP600 - 2" GAS

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	WEIGHT LBS	LIST PRICE
VSP200	53	200	290	20	1.1	\$270.00
VSP400	105	400	290	20	2.4	\$490.00
VSP600	158	600	218	15	6.8	\$890.00

AR DUE

Anodized
ALUMINUM

NEW



Medium Pressure







BlueFlex™
Diaphragms

140° F - Max Water Temp
3/4" - Suction
1/2" NPT - Outlet

AR DUE - 1450 RPM - SEMI-HYDRAULIC TWO DIAPHRAGM PUMP AND MOTOR

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR-DUE-V.R.I.-12 (12 Volt Motor)	3.5	13	145	10	0.34	4.6	\$1,250.00
AR-DUE-V.R.I.-24 (24 Volt Motor)	3.5	13	145	10	0.34	4.6	\$1,260.00



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43789	BlueFlex	\$73.87	AR1992	Valves	\$73.16	AR2465	O-Rings	\$ 14.07	AR64516	Oil	\$10.60

AR252



Anodized
ALUMINUM

Medium Pressure



BlueFlex™
Diaphragms

140° F - Max Water Temp
3/4" - Suction
1/2" NPT - Outlet

AR252 - 650 RPM - SEMI-HYDRAULIC TWO DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR252-SP/SGC	6.5	24.6	362	25	1.42	8.8	\$805.00
AR252-SP/A5/8	6.5	24.6	362	25	1.42	8.8	\$885.00
AR252-GR-GCI5/8	6.5	24.6	362	25	1.42	8.8	\$1,195.00
AR252-GR-GCI3/4	6.5	24.6	362	25	1.42	14	\$1,195.00
AR252-GR/A5/8-GCI	6.5	24.6	362	25	1.42	14	\$1,275.00

GCI - Pump with a
mounted control unit.







SP/SGC Version
Straight 3/4" Keyed Shaft
1/2" BSP threaded outlet flange



GR-GCI5/8 Version
Assembled with AR1912 Con-
trol Unit and AR1615 Gearbox
with 5/8" Hollow Shaft.
GR-GCI3/4 Version
Assembled with AR1912 Con-
trol Unit and AR1613 Gearbox
with 3/4" Hollow Shaft



SP/A5/8 Version
Straight 3/4" Keyed Shaft with
5/8" Keyed Solid Shaft



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43281	BlueFlex	\$61.91	AR2408	Valves	\$75.74	AR2409	O-Rings	\$17.35	AR64516	Oil	\$10.60
AR43278	NBR	\$64.72									
AR43279	Desmopan	\$51.59									

AR30



Plastic Coated
ALUMINUM

Medium Pressure



BlueFlex™
Diaphragms

140° F - Max Water Temp
1" - Suction
1/2" NPT - Outlet

AR30 - 550 RPM - SEMI-HYDRAULIC TWO DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR30-SP	9.6	36.2	580	40	2.9	20.5	\$1,040.00
AR30-SP/A3/4	9.6	36.2	580	40	2.9	20.5	\$1,160.00
AR30-GR3/4-GCI	9.6	36.2	580	40	2.9	33.0	\$1,945.00

GCI - Pump with a mounted control unit.







SP Version
Flanged shaft for shaft kits on
page 105



GR-GCI3/4 Version
Gear Reduction AR1636 with
3/4" Hollow Shaft and GI40
Control Unit



SP/A3/4 Version
SP Version with 3/4" Solid Keyed
Thru Shaft



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43285	BlueFlex	\$76.45	AR1917	Valves	\$147.16	AR1916	O-Rings	\$13.48	AR64516	Oil	\$10.60
AR43283	Desmopan	\$69.65									
AR43282	Buna	\$71.52									

AR40



NEW

Plastic Coated
ALUMINUM

Medium Pressure



BlueFlex™
Diaphragms

140° F - Max Water Temp
1" - Suction
1/2" NPT - Outlet

AR30 - 550 RPM - SEMI-HYDRAULIC TWO DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR40-SP	12.2	46.3	580	40	3.5	20.5	\$1,170.00
AR40-SP/A3/4	12.2	46.3	580	40	3.5	20.5	\$1,247.00
AR40-GR3/4-GCI	12.2	46.3	580	40	3.5	33.0	\$1,995.00

GCI - Pump with a mounted control unit.







SP Version
Flanged shaft for shaft kits on
page 105



GR-GCI3/4 Version
Gear Reduction AR1636 with
3/4" Hollow Shaft and GI40
Control Unit



SP/A3/4 Version
SP Version with 3/4" Solid Keyed
Thru Shaft




DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43285	BlueFlex	\$76.45	AR1917	Valves	\$147.16	AR1916	O-Rings	\$13.48	AR64516	Oil	\$10.60
AR43283	Desmopan	\$69.65									
AR43282	Buna	\$71.52									

AR50



Plastic Coated
ALUMINUM

Medium Pressure



BlueFlex™
Diaphragms

140° F - Max Water Temp
1-1/4" - Suction
1/2" NPT - Outlet

AR50 - 550 RPM - SEMI-HYDRAULIC TWO DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR50-SP	17.4	65.8	580	40	5.2	39.3	\$1,565.00
AR50-SP/A1	17.4	65.8	580	40	5.2	39.3	\$1,705.00
AR50-GR1-GCI	17.4	65.8	580	40	5.2	50.0	\$2,505.00

GCI - Pump with a mounted control unit.







SP Version
Flanged shaft for shaft kits on
page 105



GR1-GCI Version
Gearbox AR1639 with 1" Hollow
Shaft and GI40 Control Unit



SP/A1 Version
SP Version with Solid 1"
Keyed Thru Shaft



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43293	BlueFlex	\$79.73	AR1920	Valves	\$150.78	AR1919	O-Rings	\$25.09	AR64516	Oil	\$10.60
AR43291	Desmopan	\$75.74									
AR43290	Buna	\$73.63									

AR303 • AR403



A n o d i z e d
A L U M I N U M

Medium Pressure



BlueFlex™
Diaphragms

140° F - Max Water Temp
1" - Suction
1/2" NPT - Outlet

AR303 • AR403 - 550 RPM - SEMI-HYDRAULIC THREE DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR303-SP	9.2	34.7	580	40	3.1	19.8	\$1,150.00
AR303-GR3/4-GCI	9.2	34.7	580	40	3.1	32	\$2,150.00
AR403-SP	10.7	40.7	580	40	3.7	19.8	\$1,175.00
AR403-GR3/4-GCI	10.7	40.7	580	40	3.7	32	\$2,175.00





GCI - Pump with a mounted control unit.



SP Version
Flanged shaft for shaft kits
on page 105



GR3/4-GCI Version
Gear Reduction AR1636 with
3/4" Hollow Shaft and GR40
Control Unit



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43289	BlueFlex	\$68.71	AR2388	Valves	\$159.46	AR2389	O-Rings	\$19.73	AR64516	Oil	\$10.60
AR43287	Desmopan	\$68.24									
AR43286	NBR	\$64.02									

AR503



A n o d i z e d
A L U M I N U M

Medium Pressure



BlueFlex™
Diaphragms

140° F - Max Water Temp
1-1/4" - Suction
3/4" NPT - Outlet

AR503 - 550 RPM - SEMI-HYDRAULIC THREE DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR503-SP	14.3	54.1	580	40	5.6	25.4	\$1,515.00
AR503-GR3/4-GCI / A1	14.3	54.1	580	40	5.6	41.0	\$2,515.00
AR503-GR1-GCI / A1	14.3	54.1	580	40	5.6	41.0	\$2,620.00

GCI - Pump with a mounted control unit.







SP Version
Gearbox and Flanged Shaft
for Shaft Kits on page 105



GR3/4-GCI Version
Gear Reduction AR1636 with 3/4"
Hollow Shaft, RM40 Control Unit
and 1" Solid Keyed Thru Shaft



GR1-GCI/A1 Version
Gear Reduction AR1639 with 1"
Hollow Shaft, RM40 Control Unit
and 1" Solid Keyed Thru Shaft



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43297	BlueFlex	\$113.50	AR1987	Valves	\$199.79	AR1984	O-Rings	\$61.67	AR64516	Oil	\$10.60
AR43295	Desmopan	\$104.59									
AR43294	NBR	\$74.57									

Application Kits

Medium Pressure

NEW




Gearbox Kit AR1639: 1" 8-18 HP Gas Engines

\$747.60



Gearbox for four stroke engines with SAE J609a flange




Gearbox Kit AR1636: 3/4" for 5-6HP Gas Engine

\$680.00



Gearbox for four stroke engines with SAE J609a flange




Shaft Kit AR43393: 1 3/8" 6 Male Spline

\$182.91



1³/₈" universal shaft




Shaft Kit AR43394: 1 3/8" 6 Female Spline

\$132.93




1³/₈" female



Pulley Kits



Pulley



Kit Appl. P AR1504 11" 2A

Kit Appl. P AR1495 12.2" 2A **\$280.60**

Kit Appl. P AR1520 12.2" 3A **\$222.60**

Hydraulic Motor Flange Kit AR43396

\$404.88



For models AR30, AR50, AR303, AR403, AR503 (SP Models Only)

Fits SAE 2-bolt A Flange Motors with 1" Shaft

Shaft Kit: 1" Male Solid Keyed Shaft



AR43387 - for model AR30 \$119.76

AR43388 - for model AR50 \$136.18

AR43390 - for model AR503, AR303, AR403 \$102.18

Kit includes a male PTO shaft adapter, mounting bracket and necessary hardware.

Control Units - Medium Pressure



GR 20 S

Control unit with working pressure regulating valve, by-pass control lever and glycerin filled pressure gauge with colored dial.

- AR252
- AR303, AR403
- 140° F Max Temperature
- 1/2" NPT - Inlet
- 3/4" - Return
- 1/2" - Outlet



MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	WEIGHT LBS	LIST PRICE
GR20S	10.6	40	290	20	2.6	\$240.00

GI 30

Control unit with working pressure regulating valve and glycerin filled pressure gauge with colored dial.

- AR252
- 140° F Max Temperature
- 1/2" NPT - Inlet
- 3/4" - Return
- 1/2" - Outlet



MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	WEIGHT LBS	LIST PRICE
GI30	21.1	80	435	30	2.6	

AR1912 / AR1990

Remote control unit with working pressure regulating valve, opening/closing control lever, anti drip, valves with pressure discharge regulation.

- AR202, AR252
- 140° F Max Temperature
- 5/8" - Return
- 5/8" - Outlet



AR1912-KIT



AR1990-KIT

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	WEIGHT LBS	LIST PRICE
AR1912-KIT	6.6	25	360	25	1.0	\$147.74
AR1990-KIT	6.6	25	360	25	1.0	\$153.36

GI 40

Control unit with working pressure regulating valve and glycerin filled pressure gauge with colored dial.

- AR30, AR50, AR303
- AR403, AR503
- 140° F Max Temperature
- 1/2" NPT - Inlet
- 3/4" - Return
- 1/2" - Outlet



MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	WEIGHT LBS	LIST PRICE
GI40	21.1	80	580	40	3.5	\$260.00

GR 40

Control unit with working pressure regulating valve, by-pass control lever and glycerin filled pressure gauge with colored dial.

- AR303, AR403, AR503
- 140° F Max Temperature
- 1/2" NPT - Inlet
- 3/4" - Return
- 1/2" - Outlet



MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	WEIGHT LBS	LIST PRICE
GR40	10.6	40	580	40	2.6	\$195.00

RM 40

Remote control unit with working pressure regulating valve, by-pass control and glycerin filled pressure gauge with colored dial.

- AR503, AR30, AR50
- 140° F Max Temperature
- 3/4" NPT - Inlet
- 3/4" - Return
- 1/2" - Outlet



MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	WEIGHT LBS	LIST PRICE
RM40S	21.1	80	290	20	3.5	\$320.00

AR813



Anodized
ALUMINUM

High Pressure



BlueFlex™
Diaphragms

140° F - Max Water Temp
1 1/2" - Suction
3/4" NPT - Outlet

AR813 - 550 RPM - SEMI-HYDRAULIC THREE DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR813-C/C	21.1	79.9	725	50	8.8	45.2	\$1,935.00
AR813-C/SP	21.1	79.9	725	50	8.8	45.2	\$1,960.00
AR813-GR-CPC-GCI	21.1	79.9	725	50	8.8	52.0	\$3,075.00

GCI - Pump with a mounted control unit.







C/C Version
1 3/8" 6 Splined Thru Shaft



C/SP Version
SP Version with 1 3/8" Splined
Thru Shaft



GR1-CPC-GCI Version
Gear Reduction AR1639 with 1"
Hollow Shaft, VDR50 Control Unit
and 1 3/8" Splined Thru Shaft



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43301	BlueFlex	\$130.85	AR1963	Valves	\$197.21	AR43018 (AR713)	O-Rings	\$52.53	AR64516	Oil	\$10.60
AR43299	Desmopan	\$112.09				AR43020 (AR813)	O-Rings	\$55.34			
AR43298	NBR	\$103.88									
AR43300	Viton	\$527.63									

AR1053 • AR1203



Anodized
ALUMINUM

High Pressure



BlueFlex™
Diaphragms

140° F - Max Water Temp
1 1/2" - Suction
3/4" NPT - Outlet

AR1053 • AR1203 - 550 RPM - SEMI-HYDRAULIC THREE DIAPHRAGM PUMP




MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR1053-C/C	27.1	102.4	725	50	12.1	68.8	\$2,480.00
AR1053-C/SP	27.1	102.4	725	50	12.1	68.8	\$2,520.00
AR1203-C/C	30.6	115.8	725	50	13.6	68.8	\$2,605.00
AR1203-C/SP	30.6	115.8	725	50	13.6	68.8	\$2,645.00



C/C Version
1 3/8" 6 Splined Thru Shaft



C/SP Version
SP Version with 1 3/8" Splined
Thru Shaft



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43309	BlueFlex	\$139.29	AR42200	Valves	\$226.06	AR42201	O-Rings	\$35.18	AR64516	Oil	\$10.60
AR43307	Desmopan	\$107.40									
AR43306	NBR	\$107.40									
AR43308	Viton	\$919.24									

AR1064



A n o d i z e d
A L U M I N U M

High Pressure



BlueFlex™
Diaphragms

140° F - Max Water Temp
1 1/2" - Suction
3/4" NPT - Outlet

AR1064 - 550 RPM - SEMI-HYDRAULIC FOUR DIAPHRAGM PUMP




MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR1064-C/C	28.7	108.5	725	50	13.1	51.8	\$2,165.00
AR1064-C/SP	28.7	108.5	725	50	13.1	51.8	\$2,185.00



C/C Version
1 3/8" 6 Splined Thru Shaft



C/SP Version
SP Version with 1 3/8" Splined Thru Shaft



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43305	BlueFlex	\$196.04	AR1964	Valves	\$260.76	AR43022	O-Rings	\$54.87	AR64516	Oil	\$10.60
AR43303	Desmopan	\$134.60									
AR43302	NBR	\$123.82									
AR43304	Viton	\$687.09									

AR1604



A n o d i z e d
A L U M I N U M

High Pressure



BlueFlex™
Diaphragms




140° F - Max Water Temp
1 1/2" - Suction
3/4" NPT - Outlet

AR1604 - 550 RPM - SEMI-HYDRAULIC FOUR DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
AR1604-C/C	40.4	153	725	50	18.6	88.2	\$3,075.00



C/C Version
1 3/8" 6 Splined Thru Shaft



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43313	BlueFlex	\$196.04	AR42941	Valves	\$288.44	AR42942	O-Rings	\$28.84	AR64516	Oil	\$10.60
AR43311	Desmopan	\$131.09									
AR43310	NBR	\$131.79									
AR43312	Viton	\$1,167.81									

Application Kits

High Pressure

NEW




Shaft Kit AR43393: 1 3/8" - 6 Male Spline

\$182.91



1³/₈" universal shaft




For Models: AR813, AR1064, AR1053, AR1203 and AR1604

Shaft Kit AR43394: 1 3/8" - 6 Female Spline

\$132.93




1³/₈" female



Pulley Kits



Pulley



Kit Appl.P cod.1516 12.2" 3A For Model: AR813 \$222.60

Kit Appl.P cod.1520 12.2" 3A For Model: AR1064 \$222.60

Hydraulic Motor Flange Kit AR43396

\$404.88



For models AR813, AR1053, AR1203, AR1064 (SP Models Only)


Fits SAE 2-bolt A Flange Motors with 1" Shaft

Gearbox Kit AR1639: 1" 8-18HP Gas Engine

\$747.60



Gearbox for four stroke engines with SAE J609a flange with 1" shaft



Shaft Kit AR43391: 1" Male Solid Keyed Shaft

\$106.70



For models: AR813, AR1064, and AR1265

Kit includes a male PTO shaft adapter, mounting bracket and necessary hardware.

BHA130 • BHA150



A n o d i z e d
A L U M I N U M

High Pressure

140° F - Max Water Temp
1 1/2" - Suction
3/4" GAS - Outlet







BlueFlex™
Diaphragms

BHA130 • BHA150 - 550 RPM - SEMI-HYDRAULIC THREE DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
BHA130-C/C	33.7	127.5	725	50	14.5	88.2	\$3,175.00
BHA150-C/C	37.7	142.6	725	50	16.3	88.2	\$3,475.00



C/C Version
1 3/8" 6 Splined Thru Shaft



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43320	BlueFlex	\$162.51	AR2445	Valves	\$276.24	AR2446	O-Rings	\$33.77	AR64516	Oil	\$10.60
AR43319	Desmopan	\$167.67									
AR43318	NBR	\$124.29									

BHA170 • BHA200



A n o d i z e d
A L U M I N U M

High Pressure



BlueFlex™
Diaphragms





140° F - Max Water Temp
1 1/2" - Suction
3/4" GAS - Outlet

BHA170 • BHA200 - 550 RPM - SEMI-HYDRAULIC FOUR DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
BHA170-C/C	42.4	160.4	725	50	19.3	112	\$3,890.00
BHA200-C/C	51.2	193.7	725	50	22.1	112	\$4,500.00



C/C Version
1 3/8" 6 Splined Thru Shaft



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43323	BlueFlex	\$211.52	AR2374	Valves	\$374.26	AR2457	O-Rings	\$37.99	AR64516	Oil	\$10.60
AR43322	Desmopan	\$275.10									
AR43321	NBR	\$202.30									

BHP130 • BHP150



Plastic Coated
ALUMINUM

High Pressure



BlueFlex™
Diaphragms




140° F - Max Water Temp
1 1/2" - Suction
3/4" GAS - Outlet

BHP130 • BHP150 - 550 RPM - SEMI-HYDRAULIC THREE DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
BHP130-C/C	33.7	127.5	725	50	14.5	88.2	\$3,300.00
BHP150-C/C	37.7	142.6	725	50	16.3	88.2	\$3,600.00



C/C Version
1 3/8" 6 Splined Thru Shaft



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43320	BlueFlex	\$162.51	AR2445	Valves	\$276.24	AR2446	O-Rings	\$33.77	AR64516	Oil	\$10.60
AR43319	Desmopan	\$167.67									
AR43318	NBR	\$124.29									

BHP170 • BHP200



Plastic Coated
ALUMINUM

High Pressure



BlueFlex™
Diaphragms





140° F - Max Water Temp
1 1/2" - Suction
3/4" GAS - Outlet

BHP170 • BHP200 - 550 RPM - SEMI-HYDRAULIC FOUR DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
BHP170-C/C	42.4	160.4	725	50	19.3	112	\$4,365.00
BHP200-C/C	51.2	193.7	725	50	22.1	112	\$4,665.00



C/C Version
1 3/8" 6 Splined Thru Shaft



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43323	BlueFlex	\$211.52	AR2374	Valves	\$374.26	AR2457	O-Rings	\$37.99	AR64516	Oil	\$10.60
AR43322	Desmopan	\$275.10									
AR43321	NBR	\$202.30									


BHS90 • BHS105 • BHS120



S e r i e s
B R A S S

High Pressure

140° F - Max Water Temp
1 1/2" - Suction
3/4" GAS - Outlet







BlueFlex™
Diaphragms

BHS90 • BHS105 • BHS120 - 550 RPM - SEMI-HYDRAULIC FOUR DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
BHS90-C/C	23.9	90.6	725	50	10.5	94.4	\$3,775.00
BHS105-C/C	26.9	101.9	725	50	12.0	94.4	\$4,075.00
BHS120-C/C	29.8	113.0	725	50	13.3	94.4	\$4,230.00



C/C Version
1 3/8" 6 Splined Thru Shaft



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43317	BlueFlex	\$139.29	AR2445	Valves	\$276.24	AR42205	O-Rings	\$30.72	AR64516	Oil	\$10.60
AR43315	Desmopan	\$105.99									
AR43314	NBR	\$105.99									
AR43316	Viton	\$891.10									

BHS130 • BHS150



S e r i e s
B R A S S

High Pressure



BlueFlex™
Diaphragms





140° F - Max Water Temp
1 1/2" - Suction
3/4" GAS - Outlet

BHS130 • BHS150 - 550 RPM - SEMI-HYDRAULIC THREE DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
BHS130-C/C	33.7	127.5	725	50	14.5	114.6	\$4,450.00
BHS150-C/C	37.7	142.6	725	50	16.3	114.6	\$4,560.00



C/C Version
1 3/8" 6 Splined Thru Shaft




DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43320	BlueFlex	\$162.51	AR2445	Valves	\$276.24	AR2446	O-Rings	\$33.77	AR64516	Oil	\$10.60
AR43319	Desmopan	\$167.67									
AR43318	NBR	\$124.29									

BHS170 • BHS200



S e r i e s
B R A S S

High Pressure



BlueFlex™
Diaphragms





140° F - Max Water Temp
1 1/2" - Suction
3/4" GAS - Outlet

BHS170 • BHS200 - 550 RPM - SEMI-HYDRAULIC FOUR DIAPHRAGM PUMP

MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	HP POWER	WEIGHT LBS.	LIST PRICE
BHS170-C/C	42.4	160.4	725	50	19.3	143.3	\$5,350.00
BHS200-C/C	51.2	193.7	725	50	22.1	143.3	\$5,695.00



C/C Version
1 3/8" 6 Splined Thru Shaft



DIAPHRAGM KITS			VALVE KITS			O-RING KITS			OIL		
MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE	MODEL	DESCRIPTION	LIST PRICE
AR43323	BlueFlex	\$211.52	AR2374	Valves	\$374.26	AR2457	O-Rings	\$37.99	AR64516	Oil	\$10.60
AR43322	Desmopan	\$275.10									
AR43321	NBR	\$202.30									

Application Kits

NEW




Shaft Kit AR43393: 1 3/8" - 6 Male Spline

\$182.91



1³/₈" universal shaft




For Models: AR813, AR1064, AR1053, AR1203 and AR1604

Shaft Kit AR43394: 1 3/8" - 6 Female Spline

\$132.93




1³/₈" female



Pulley Kits



Pulley




Kit Appl.P cod.1516 12.2" 3A For Model: AR813 \$222.60

Kit Appl.P cod.1520 12.2" 3A For Model: AR1064 \$222.60

Hydraulic Motor Flange Kit AR43396

\$404.88



For models AR813, AR1053, AR1203, AR1064 (SP Models Only)


Fits SAE 2-bolt A Flange Motors with 1" Shaft

Gearbox Kit AR1639: 1" 8-18HP Gas Engine

\$747.60



Gearbox for four stroke engines with SAE J609a flange with 1" shaft



Shaft Kit AR43391: 1" Male Solid Keyed Shaft

\$106.70



For models: AR813, AR1064, and AR1265

Kit includes a male PTO shaft adapter, mounting bracket and necessary hardware.

Control Units - High Pressure



VDR 50

Control unit with working pressure regulating valve, by-pass opening/closing control lever and glycerin filled pressure gauge with colored dial.

- BHA-BHP130
- BHS90-105-120
- AR503, AR30, AR50
- AR813, AR1064
- AR1053, AR1203
- 140° F Max Temperature
- 3/4" NPT - Inlet
- 3/4" - Return
- 1/2" - Outlet




MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	WEIGHT LBS	LIST PRICE
VDR50	34.3	130	725	50	4.9	\$570.00

BMS 50

Brass control unit with working pressure regulating valve, single lever for partial or total closure and discharge, and glycerin filled pressure gauge with colored dial.

- BHS90-105-120-130
- BHS150-170-200
- 140° F Max Temperature
- 3/4" GAS - Inlet
- 1" - Return
- 1/2" - Outlet



MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	WEIGHT LBS	LIST PRICE
BMS50	52.8	300	725	50	11	\$865.00

BY MATIC 50

Control unit with working pressure regulating valve, single lever for partial or total closure and discharge, and glycerin filled pressure gauge with colored dial.

- BHA-BHP130-150-170-200
- AR813, AR1064
- AR1053, AR1604
- 140° F Max Temperature
- 3/4" GAS - Inlet
- 1" - Return
- 1/2" - Outlet




MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	WEIGHT LBS	LIST PRICE
MATIC50	52.8	200	725	50	6	\$650.00

GH 50

Brass control unit with working pressure regulating valve, single lever for partial or total by-pass opening and closure, and glycerin filled pressure gauge with colored dial.

- BHA130-150-170-200
- BHP130-150-170-200
- BHS90-105-120-130
- BHS150-170-200
- 140° F Max Temperature
- 3/4" GAS - Inlet
- 1" - Return
- 1/2" - Outlet




MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	WEIGHT LBS	LIST PRICE
GH50	52.8	200	725	50	8.4	\$510.00

BMH 50

Brass control unit with working pressure regulating valve, single lever for partial or total closure and discharge, and glycerin filled pressure gauge with colored dial.

- BHA-BHP130-150-170-200
- BHS90-105-120-130
- BHS150-170-200
- AR813, AR1064
- AR1053, AR1203
- AR1604
- 140° F Max Temperature
- 3/4" GAS - Inlet
- 1" - Return
- 1/2" - Outlet



MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	WEIGHT LBS	LIST PRICE
BMH50	52.8	200	725	50	6.8	\$725.00

VH 50

Brass control unit with working pressure regulating valve, and glycerin filled pressure gauge with colored dial.

- BHA-BHP130-150-170-200
- BHS90-105-120-130
- BHS150-170-200
- AR813, AR1064
- AR1053-1203-1604
- 140° F Max Temperature
- 3/4" GAS - Inlet
- 1" - Return
- 1/2" - Outlet



MODEL	MAX GPM	MAX L/MIN	MAX PSI	MAX BAR	WEIGHT LBS	LIST PRICE
VH50	52.8	200	140	60	5.5	\$400.00

SUPEREX CLAMPS




SUPEREX CLAMPS

For detailed information on each clamp go to pages 188 - 192 in the accessories section.

NEW


T-BOLT SUPER CLAMP



T-BOLT SUPER CLAMP

NEW


DOUBLE BOLT CLAMP



DOUBLE BOLT CLAMP

NEW

SINGLE BOLT CLAMP



SINGLE BOLT CLAMP

NEW


SPIRAL CLAMP



SPIRAL CLAMP

NEW

DOUBLE BOLT CLAMP



DOUBLE BOLT CLAMP

NEW

WHIPCHECK

